



Basic Guidelines for Rental Inspection

Revised: 4-10-23

An inspection will be conducted to ensure that the rental dwelling unit must comply with the most recent International Property Maintenance Code. The items outlined below represent **SOME** of the basic requirements that must be met to obtain the Rental Certificate of Compliance. These requirements are not intended to take the place of the Township's official Code and are **NOT ALL-INCLUSIVE**. This information is intended to give property owners a general idea of what is required and provide an opportunity to begin working on compliance before your scheduled inspection.

EXTERIOR

- All buildings shall have an approved address at least four (4) inches in height and be legible from the road.
- Driveways, parking areas, walkways, and stairs shall be kept in good repair and free from hazardous conditions.
- No vehicle that is inoperative, unlicensed, or in a state of disrepair shall be parked, kept, or stored on any property.
- Property shall be free of rubbish or garbage with such items being disposed of in leakproof and covered containers.
- Accessory structures, including garages, sheds, decks, and fences shall be structurally sound and in good repair.
- All exterior surfaces shall be maintained in good repair and free of breaks, holes, deterioration, or graffiti. The presence of chipping or peeling paint on any surface of the interior or exterior of the property is a violation.

HANDRAILS AND GUARDRAILS

- Every flight of stairs having more than four (4) risers shall have a firmly fastened handrail on one side of the stair.
- Handrails shall be graspable, and ends must securely return to a wall or post; open-ended handrails are prohibited.
- Every open portion of a stair, landing, balcony, porch, deck, ramp, or other walking surface that is more than thirty (30) inches above the floor or grade below shall have guards.

DOORS AND WINDOWS

- Every window, skylight, door, and frame shall be kept in sound condition, good repair, and weather tight.
- Doors providing access to a dwelling unit shall be equipped with a deadbolt lock with a minimum throw of 1 inch.
- All windows designed to open should do so easily and be capable of being held in position by window hardware.

- Operable windows located within six (6) feet above ground level shall be equipped with a window sash locking device.

VENTILATION SYSTEMS

- Every bathroom without an openable window shall include a ventilation system that discharges to the outdoors.
- Clothes dryer exhaust systems shall be independent of all other systems and shall be exhausted to the outdoors.

PLUMBING FACILITIES AND FIXTURE REQUIREMENTS

- Each dwelling unit shall contain its own bathtub or shower, lavatory, and water closet (toilet) with adequate privacy.
- A kitchen sink is required within a sanitary food preparation area with at least three (3) foot wide passageways.
- All fixtures shall be properly installed and maintained in working order, including providing hot, tempered, and cold running water as necessary. Fixtures and associated drains shall be kept free from obstructions, leaks, and defects.

HEATING FACILITIES

- Heating facilities, including fireplaces, furnaces, gas water heaters, and boilers must be inspected by a licensed contractor prior to the rental certificate inspection and a written report provided to the Township Inspector.
- Associated mechanical and electrical appliances shall be properly installed and maintained in a safe working condition.

ELECTRICAL REQUIREMENTS

- All habitable rooms must have at least two (2) separate and remote receptacle outlets, including faceplate covers.
- Every bathroom shall contain not less than one (1) receptacle and any new receptacle must have GFCI protection.
- Every stairway, kitchen, bathroom, laundry room, mechanical room shall contain not less than one (1) electric light.
- Flexible cords shall not be used for permanent wiring running through doors, windows, walls, floors, or ceilings.

FIRE SAFETY AND SMOKE DETECTORS

- A continuous and unobstructed path of travel shall be provided from any point in a dwelling unit to the outdoors.
- A smoke alarm shall always be maintained in an operable condition and installed in every bedroom, in every room in the path of egress from the sleeping area, and on each story of the dwelling unit, including the basement.
- Smoke alarms shall receive their primary power from the building wiring, be equipped with a battery backup, and shall be interconnected in such a manner that the activation of one alarm will activate all the alarms in the dwelling unit.